

ZORA 24-port Cat 6 Shielded Modular Patch Panel

ZORA 24-port Cat 6 Shielded Modular Patch Panel applied to data network communications, modular patch cords connecting device device, the main wiring room and the distribution of each application. 19-inch rack-mountable, using all-steel plate overall structure, to ensure that the product higher mechanical strength. Modular design, easy to install and maintain, each module can be individually removed and replaced, easy to terminate and maintain.



ZORA 24-port Cat 6 Shielded Modular Patch Panel Features

- 1. The back of the SPCC metal cable management tray, for bundling, cable management, to avoid cable and module termination force caused by loose connections;
- 2. Bracket with grounding terminals for shielding good grounding, ground resistance is less than 1Ω ;
- 3. Front intuitive grouping labeling area, for writing labels to provide easy management;
- 4. Directly used in 19-inch standard cabinets, racks, wall cabinets and so on;
- 5. The use of high-quality cold-rolled steel plate, the surface of the plastic spraying special treatment, strong, beautiful, not easy to scratch.
- 7. Operating temperature: -10°C ~ 60°C.

Reference Standard

- ANSI/TIA 568.2-D
- ISO/IEC 11801



Technical Specifications

| Construction | |
|---------------|---|
| Body | |
| Body Material | Adoption of high-quality SPCC cold-rolled steel plate |
| Body Surface | The surface has undergone special spray coating treatment, which is |
| | sturdy, beautiful, and not easily scratched |
| Front | |
| Front Label | Positive and intuitive grouped labeling area provides easy management |
| | of written labels |
| Rear | |
| Rear Tray | Straight cable management bracket on the back for bundling and cable |
| | management, effectively reducing cable tension |

| Physical Ranges | |
|-----------------------|---|
| Operating Temperature | -20°C ~ +70°C to meet the requirements of 48 hours of salt spray test |
| Norm | Standard 19" rack mount, height: 1U |
| Mounting | Modular design for quick installation of ZORA modules |
| Earth Resistance | Bracket with ground terminal, good grounding for shielding, ground |
| | resistance less than 1Ω |